CEPHALOPODS AT THE MBL

The Marine Biological Laboratory (MBL) has a long, deep history of studying cephalopod biology, yielding many significant discoveries and even a Nobel Prize (see sidebar).

Building on this expertise, the MBL launched a groundbreaking e□ort in 2017 to culture cephalopods in the laboratory—which is notoriously di□cult—so they can be available to researchers at all life stages at any time of year. As part of the MBL's New Research Organisms Initiative, the first genetically tractable squid species was recently developed at MBL, meaning scientists can manipulate its genes and study the e□ects over multiple

HIGHLIGHTS FROM A CENTURY OF MBL CEPHALOPOD RESEARCH

THE SQUID GIANT AXON AND A NOBEL PRIZE

1910s to 1930s: Leonard Williams discovers giant nerve cells, sometimes visible to the naked eye, in the local Woods Hole squid , Doryteuthis pealeii. These “giant axons” turn out to be excellent preparations for studying how nerve cells work.

Late 1930s: Using the squid giant axon, scientists at MBL including Alan Hodgkin and Andrew Huxley record the electrical .8 (a)-8mpulse (the action potential) from inside the nerve cell.

1940s to 1950s: Back in England, Hodgkin and Huxley mathematically describe how the action potential .8 2.3 (s)-10 ( )]TJETEMC /P <</Lang (en-US)/MCID 12>>BDC BT10 0 0 10 4696 58.999 Tm[(g)